



FLY-IN

OCTOBER 26-27, 2018

**JACK EDWARDS NATIONAL AIRPORT (JKA)
GULF SHORES, AL**

NOTAM

SPECIAL FLIGHT PROCEDURES


EFFECTIVE:

| | | | | | | | |
|----------|--------------|-------|------|-----|-------|------|--------|
| Thursday | Oct 25, 2018 | 12:00 | NOON | CDT | until | 6:00 | PM CDT |
| Friday | Oct 26, 2018 | 7:00 | AM | CDT | until | 6:00 | PM CDT |
| Saturday | Oct 27, 2018 | 7:00 | AM | CDT | until | 6:00 | PM CDT |



Jack Edwards
NATIONAL AIRPORT
Gulf Shores, Al

VFR ARRIVALS OVERVIEW



Jack Edwards AWOS 134.525

Jack Edwards Advisory 119.420

Jack Edwards UNICOM 122.7

TEMPORARY VFR PROCEDURES

Specific procedures contained within this NOTAM may be revised at the time of the event. Pilots are urged to review all applicable NOTAMs and arrival/departure procedures prior to conducting a flight to Jack Edwards National Airport. Users are encouraged to check NOTAMs frequently to verify they possess the most current revisions. This NOTAM does not supersede restrictions pertaining to the use of airspace contained in FDC NOTAMs.

ALL VFR ARRIVALS SHOULD BEGIN AT:


1. **Brewton Municipal Airport (12J)**, 55 NM northeast of Jack Edwards National Airport (JKA), or
2. **Bay Minette Municipal Airport (1R8)**, 36 NM northwest of Jack Edwards National Airport (JKA).

JACK EDWARDS AIRPORT ADVISORY

AirBoss (non-Federal) personnel will provide Airport ADVISORY service on **119.420** to aircraft operating to and from Jack Edwards National Airport during the procedures NOTAM effective times. Outside NOTAM times, or if unable to contact Advisory, contact Jack Edwards UNICOM on **122.7** and follow standard non-towered airport procedures.

NOTE: Advisory service does NOT constitute Air Traffic Control (ATC) Service, or ATC Clearance.

VFR PROCEDURES - Arrivals over Brewton Municipal Airport (12J)



CHECK AWOS ON 134.525 AS SOON AS PRACTICAL.

This procedure begins over Brewton Municipal Airport (12J) at **6500** feet MSL. If unable to maintain **6500** feet MSL due to weather, aircraft should fly at or below **2500** feet MSL, if possible, to avoid military traffic at other altitudes. From Brewton Municipal Airport fly direct to the intersection of SR59 and Interstate 10. Approximate heading of **238° @ 43NM**. **MONITOR ONLY** Pensacola Approach on **118.0**. (See graphics pages 4-5.)



CAUTION: Stay alert for converging aircraft. Turn on all lights if practical for maximum visibility.

Maintain **6500** feet MSL, if able, until south of V 198-241 (263° radial from the Crestview (CEW) VORTAC 115.9.) Descend to **4500** feet MSL prior to reaching the intersection of SR59 and Interstate 10. If at or below **2500** feet MSL due to weather, maintain that altitude until beginning descent to pattern altitude.



CAUTION: Stay alert for aircraft arriving from the Northwest/ Bay Minette Municipal Airport (1R8) at **4500** feet MSL.

From the intersection of SR59 and Interstate 10, follow SR59 south toward Gulf Shores and Jack Edwards National Airport. Begin descent to **2500** feet MSL at pilot's discretion.

Approximately 10 NM south of the intersection near the town of Summerdale, SR59 turns briefly southeast before turning south again. This "Dog Leg" in the road is the initial reporting point and is approximately 10 NM from Jack Edwards National Airport. Contact

Jack Edwards Advisory on **119.420** and report when over the "Dog Leg". (See graphics page 6.)

Continue inbound and follow instructions from Jack Edwards Advisory. Approximately 5 NM from Jack Edwards National Airport, there will be a blue roofed school (Foley High School) on the right side of SR59 and Tanger Outlet Mall on the left side of SR59.

Continue inbound and follow instructions from Jack Edwards Advisory. If traffic volume requires holding, expect to fly the hold procedure as depicted in the **GULF SHORES VFR HOLD GRAPHIC**. All aircraft should fly right turns at **2500** feet MSL. (See graphics page 8.)



CAUTION: Stay alert for converging aircraft.


When Jack Edwards Advisory announces that holding is no longer required, aircraft should proceed inbound after completing the hold and arriving back over SR59 just south of Foley Municipal Airport.

Follow landing instructions from Jack Edwards Advisory on **119.420**.

JKA TPA: 1000 feet MSL

After landing, do not stop on the runway unless necessary. Exit the runway as quickly and as safely as possible at the first available taxiway. Keep moving and follow instructions from Jack Edwards Advisory on **119.420**. Marshalls will direct aircraft to the parking areas.

VFR PROCEDURES - Arrivals over Bay Minette Municipal Airport (1R8)



Jack Edwards AWOS 134.525

Jack Edwards Advisory 119.420

Jack Edwards UNICOM 122.7



CHECK AWOS ON 134.525 AS SOON AS PRACTICAL.

This procedure begins over Bay Minette Municipal Airport (1R8) at **5500** feet MSL. If unable to maintain **5500** feet MSL due to weather, aircraft should fly at or below **2500** feet MSL, if possible, to avoid military traffic at other altitudes. **MONITOR ONLY** Pensacola Approach on **118.0**.

From Bay Minette Municipal Airport fly direct to the intersection of SR59 and Interstate 10 (approximate heading of **167°** @ 13NM) or follow SR59 south from the town of Bay Minette. Descend to **4500** feet MSL prior to reaching the intersection of SR59 and Interstate 10. (See graphics pages 4-5.) If at or below **2500** feet MSL due to weather, maintain that altitude until beginning descent to pattern altitude.



CAUTION: Stay alert for converging aircraft. Turn on all lights if practical for maximum visibility.



CAUTION: Aircraft will be arriving at the same altitude from the northeast at the intersection of SR59 and Interstate 10.

From the intersection of SR59 and Interstate 10, follow SR59 south toward Gulf Shores and Jack Edwards National Airport. Begin descent to **2500** feet MSL at pilot's discretion.

Approximately 10 NM south of the intersection near the town of Summerdale, SR59 turns briefly southeast before turning south again. This "Dog Leg" in the road is the initial reporting point and is approximately 10 NM from Jack Edwards National Airport. Contact

Jack Edwards Advisory on **119.420** and report when over the "Dog Leg". (See graphics page 6.)

Continue inbound and follow instructions from Jack Edwards Advisory. Approximately 5 NM from Jack Edwards National Airport, there will be a blue roofed school (Foley High School) on the right side of SR59 and Tanger Outlet Mall on the left side of SR59.

Continue inbound and follow instructions from Jack Edwards Advisory. If traffic volume requires holding, expect to fly the hold procedure as depicted in the **GULF SHORES VFR HOLD GRAPHIC**. All aircraft should fly right turns at **2500** feet MSL. (See graphics page 8.)



CAUTION: Stay alert for converging aircraft. Turn on all lights if practical for maximum visibility.


When Jack Edwards Advisory announces that holding is no longer required, aircraft should proceed inbound after completing the hold and arriving back over SR59 just south of Foley Municipal Airport.

Follow landing instructions from Jack Edwards Advisory on **119.420**.

JKA TPA: 1000 feet MSL

After landing, do not stop on the runway unless necessary. Exit the runway as quickly and as safely as possible at the first available taxiway. Keep moving and follow instructions from Jack Edwards Advisory on **119.420**. Marshalls will direct aircraft to the parking areas.

VFR PROCEDURES - Intersection of SR59 and I-10 — Overhead view




VFR PROCEDURES - Approaching Intersection of SR59 and I-10 from NE



VFR PROCEDURES - Approaching Intersection of SR59 and I-10 from NW



VFR PROCEDURES - Arrivals Overview



VFR PROCEDURES - SR59 Dog Leg Reporting Point — 10 NM from JKA



VFR PROCEDURES - SR59 Dog Leg Reporting Point — 10 NM from JKA




VFR PROCEDURES - Tanger Outlet Mall — 5 NM from JKA




VFR PROCEDURES - Approaching JKA from the North along SR59



VFR PROCEDURES - Gulf Shores VFR Hold



VFR PROCEDURES - Gulf Shores VFR Hold



IFR DELAYS

There is no Special Traffic Management Program for this event. No arrival or departure reservations are required. IFR separation requirements may cause delays when arrival rates exceed airport capacity. Pilots on an IFR flight plan should be prepared for potential holding. IFR flight plans to Jack Edwards National Airport should be filed **at least 2 hours** prior to proposed departure time.

VFR flight on designated arrival routes is highly recommended if practical.

AIRPORT CLOSURE

Jack Edwards National Airport will be closed during the following times during the AOPA Fly-In.

8:00 PM CDT Thursday,
October 25, 2018 to sunrise Friday,
October 26, 2018

8:00 PM CDT Friday,
October 26, 2018 to sunrise Saturday,
October 27, 2018

8:00 PM CDT Saturday,
October 27, 2018 to sunrise Sunday,
October 28, 2018

A **Prior Permission Required (PPR)** number is required to land during those times. To obtain a PPR number, please call 678-549-5010.

Note: Advisory service will only be available during the NOTAM effective times. Follow standard non-towered airport procedures and announce intentions on Jack Edwards UNICOM **122.7** when NOTAM is not in effect

HELICOPTER OPERATIONS

Helicopters are not expected to fly the special VFR Arrival Procedures. When inbound, contact Jack Edwards Advisory on **119.420** as soon as practical for specific instructions.

LOCAL TRAINING AND PRACTICE APPROACHES

Local traffic pattern, closed traffic training, and practice instrument approaches **will not** be available at Jack Edwards National Airport (JKA) during the AOPA Fly-In.

NO RADIO AIRCRAFT

Due to high density traffic, aircraft operations without a radio are not recommended.

STUDENT PILOTS

Due to high density traffic, solo student pilot operations are not recommended.

CAUTIONS

Possible lengthy delays associated with heavy arrival and departure times. Heavy arrivals expected **8:00 AM—11:00 AM** Friday and Saturday. Heavy departures expected **3:00 PM—6:00 PM** on Saturday.

High volume of rotary and fixed wing training in the area; surface to 17,500 feet MSL.

Numerous special use airspace in the vicinity of JKA.

Several tall towers (2000 feet MSL or more) along the arrival routes.

Restricted area R-2908: 3 NM southwest of JKA.

Bon Secour National Wildlife Refuge 5 NM southwest of JKA.

Class C Airspace: Pensacola Naval Air Station (NPA), 8 NM East of JKA.

Class C Airspace: Mobile Regional Airport (MOB), 29 NM Northwest of JKA.

Special Air Traffic Rule, FAR Part 93 Eglin/Valparaiso Terminal Area: 55 NM Northeast of JKA.

FREQUENCIES AND WAYPOINT INFORMATION

EN ROUTE FREQUENCIES

| | |
|--------------------|-------|
| Pensacola Approach | 118.0 |
| Mobile Approach | 121.0 |

JACK EDWARDS NATIONAL AIRPORT FREQUENCIES


| | |
|------------------------------|--------------|
| Jack Edwards AWOS | 134.525 |
| AWOS telephone number | 251-968-7581 |
| Jack Edwards Advisory | 119.420 |
| Jack Edwards UNICOM | 122.7 |
| Pensacola Approach/Departure | 120.65 |
| Pensacola Clearance | 124.55 |

FREQUENCIES AND WAYPOINT INFORMATION - continued

| SPECIFIC LATITUDE/LONGITUDE COORDINATES | | | |
|---|-------------------------|---|-------------------------|
| ARRIVALS OVER BREWTON MUNICIPAL AIRPORT (12J) | | ARRIVALS OVER BAY MINETTE MUNICIPAL AIRPORT (1R8) | |
| Brewton Municipal Airport (12J) | N31°03'06''/W87°03'56'' | Bay Minette Municipal Airport (1R8) | N30°52'14''/W87°49'05'' |
| Intersection of SR59 and I-10 | N30°39'07''/W87°45'36'' | Intersection of SR59 and I-10 | N30°39'07''/W87°45'36'' |
| Summerdale | N30°29'19''/W87°41'59'' | Summerdale | N30°29'19''/W87°41'59'' |
| SR59 Dog Leg Reporting Point | N30°28'49''/W87°42'28'' | SR59 Dog Leg Reporting Point | N30°28'49''/W87°42'28'' |
| Foley High School | N30°22'54''/W87°41'22'' | Foley High School | N30°22'54''/W87°41'22'' |
| Tanger Outlet Mall | N30°22'33''/W87°40'46'' | Tanger Outlet Mal | N30°22'33''/W87°40'46'' |
| Jack Edwards National Airport (JKA) | N30°17'23''/W87°40'18'' | Jack Edwards National Airport (JKA) | N30°17'23''/W87°40'18'' |

| DEGREES, MINUTES, SECONDS CONVERTED TO DECIMAL DEGREES | | | |
|--|----------------------------|---|----------------------------|
| ARRIVALS OVER BREWTON MUNICIPAL AIRPORT (12J) | | ARRIVALS OVER BAY MINETTE MUNICIPAL AIRPORT (1R8) | |
| Brewton Municipal Airport (12J) | 31.05166667°/ 87.06555556° | Bay Minette Municipal Airport (1R8) | 30.87055556°/ 87.81805556° |
| Intersection of SR59 and I-10 | 30.65194444°/ 87.76000000° | Intersection of SR59 and I-10 | 30.65194444°/ 87.76000000° |
| Summerdale | 30.48861111°/ 87.69972222° | Summerdale | 30.48861111°/ 87.69972222° |
| SR59 Dog Leg Reporting Point | 30.48027778°/ 87.70777778° | SR59 Dog Leg Reporting Point | 30.48027778°/ 87.70777778° |
| Foley High School | 30.38166667°/ 87.68944444° | Foley High School | 30.38166667°/ 87.68944444° |
| Tanger Outlet Mall | 30.37583333°/ 87.67944444° | Tanger Outlet Mall | 30.37583333°/ 87.67944444° |
| Jack Edwards National Airport (JKA) | 30.28972222°/ 87.67166667° | Jack Edwards National Airport (JKA) | 30.28972222°/ 87.67166667° |

JACK EDWARDS NATIONAL AIRPORT (JKA) GENERAL INFORMATION



PARKING AREAS

- When operating in the parking areas, pilots are encouraged to be extra alert for taxiing aircraft, aircraft with engine(s) running, and vehicle/pedestrian traffic.
- Marshalls will be assisting aircraft to and from parking areas and run-up areas.
- For safety reasons, high RPM engine running is prohibited in designated parking areas. For departure, it is recommended that pilots conduct their run-up procedures in queue if practical.
- Please review the parking map prior to landing and departing.

VEHICULAR TRAFFIC

- Vehicles are not allowed on ramps except those belonging to airport operators and tenants.

PREFLIGHT PLANNING

- Please ensure that you have reviewed the special flight information, departure procedures, and temporary taxi procedures prior to engine start.
- High density traffic is expected Friday and Saturday morning. Consider arriving during off-peak hours.

JACK EDWARDS NATIONAL AIRPORT (JKA)

DEPARTURE PROCEDURES

IFR DEPARTURES

Locate a marshaller to monitor engine start. Place printed large IFR letters in the windshield. Follow marshalls instructions to taxi to the nearest designated IFR departure holding area. Contact Jack Edwards Advisory on **119.420** and inform them that you are departing IFR. IFR departures should obtain a clearance from Pensacola Clearance on **124.55**.

DO NOT CONTACT PENSACOLA CLEARANCE UNTIL YOU ARE PREPARED TO DEPART.

VFR DEPARTURES

VFR Flight Following: Pilots wanting VFR flight-following should make the request to the appropriate ATC facility when 10 NM from Jack Edwards National Airport.

- Heading East from Weeks Bay contact Pensacola Approach on **120.65**.
- Heading Northeast from Weeks Bay contact Pensacola Approach on **118.6**.
- Heading North or Northwest along the eastern shore of Mobile Bay contact Mobile Approach on **118.5**.
- Heading West from Fort Morgan/Dauphin Island contact Mobile Approach on **121.0**.

VFR Traffic Advisories/Flight Following will be provided on a workload-permitting basis only.

Prior to start-up — Please ensure that you have reviewed the special flight information, departure procedures, and temporary taxi procedures prior to engine start. Check AWOS on **134.525**.

- **Engine start** – Locate a marshaller to monitor engine start.
- **Run-up** – If practical, it is recommended that you conduct your run-up while in queue for departure. Please consider propeller blast during your run-up.
- **Taxi** – Follow instructions from marshalls and **MONITOR ONLY** Jack Edwards Advisory on **119.420**.
- **Departure** — Contact Jack Edwards Advisory on **119.420** when **NUMBER 1** for departure. Be prepared for immediate departure.

Departing runway 9

Depending on destination, aircraft should turn right after takeoff and depart off the downwind direct to either Weeks Bay or Fort Morgan/Dauphin Island. Aircraft departing toward Weeks Bay and heading North or Northwest should continue along the eastern side of Mobile Bay until reaching Interstate 10 and then turn on course. Aircraft heading Northeast or East can turn on course after reaching Weeks Bay. Aircraft departing westbound can turn on course after reaching Fort Morgan/Dauphin Island. (See *graphics page 14.*)

Additional Eastbound Coast Route—**SATURDAY ONLY!!!**

Aircraft departing eastbound using the Eastbound Coastal Route should depart straight out staying along the shoreline. Aircraft on this route must be able to maintain **3500** feet MSL. To reduce frequency congestion, aircraft on this route are also authorized to penetrate Class C Airspace without contacting ATC. *This authorization is **ONLY** for aircraft following the Eastbound Coastal Route.*

It is recommended to contact Eglin Approach on **132.1** for VFR flight following prior to reaching the Navarre Bridge. (See *graphics pages 15-16.*)

Departing runway 27

Depending on destination, aircraft should either turn right after takeoff and fly direct to Weeks Bay or continue straight out toward Fort Morgan/Dauphin Island. Aircraft departing toward Weeks Bay and heading North or Northwest should continue along the eastern side of Mobile Bay until reaching Interstate 10 and then turn on course. Aircraft heading Northeast or East can turn on course after reaching Weeks Bay. Aircraft departing westbound can turn on course after reaching Fort Morgan/Dauphin Island. (See *graphics page 14.*)

Additional Eastbound Coast Route—**SATURDAY ONLY!!!**

Aircraft departing eastbound using the Eastbound Coastal Route should turn left after departure and fly eastbound along the shoreline. Aircraft on this route must be able to maintain **3500** feet MSL. To reduce frequency congestion, aircraft on this route are also authorized to penetrate Class C Airspace without contacting ATC. *This authorization is **ONLY** for aircraft following the Eastbound Coastal Route.*


It is recommended to contact Eglin Approach on **132.1** for VFR flight following prior to reaching the Navarre Bridge. (See *graphics pages 15-16.*)

Special Air Traffic Rule, FAR Part 93—Eglin/Valparaiso Terminal Area


Take the course at FAASafety.gov for operating around Eglin Air Force Base/Fort Walton Beach, FL

https://www.faasafety.gov/gslac/ALC/course_catalog.aspx


DEPARTING RUNWAY 9



DEPARTING RUNWAY 27



ADDITIONAL EAST BOUND COASTAL ROUTE - SATURDAY ONLY



SPECIAL AUTHORIZATION TO PENETRATE CLASS C AIRSPACE

**AIRCRAFT DEPARTING EASTBOUND ALONG THE COAST
MUST BE ABLE TO MAINTAIN 3500 FEET MSL.**

**TO REDUCE FREQUENCY CONGESTION, AIRCRAFT ON
THIS ROUTE ARE ALSO AUTHORIZED TO PENETRATE
CLASS C AIRSPACE WITHOUT CONTACTING ATC.**

**THIS AUTHORIZATION IS ONLY FOR AIRCRAFT
FOLLOWING THE EASTBOUND COASTAL ROUTE.**

**IT IS RECOMMENDED TO CONTACT EGLIN APPROACH ON
132.1 FOR VFR FLIGHT FOLLOWING PRIOR TO REACHING
THE NAVARRE BRIDGE.**


VFR PROCEDURES - Navarre Bridge



VFR PROCEDURES - Navarre Bridge — Overview



VFR PROCEDURES - Brewton Municipal Airport (12J)




| | |
|-------------------------|----------------------------|
| Approach/ Departure: | 127.35 (Pensacola) |
| AWOS-3PT | 119.325T (251) 809-2987 |
| CTAF | 122.725 |
| UNICOM | 122.725 |

VFR PROCEDURES - Bay Minette Municipal Airport (1R8)



| | |
|-------------------------|--------------|
| Approach/ Departure: | 118.5 Mobile |
| CTAF | 122.8 |
| UNICOM | 122.8 |


VFR PROCEDURES - Foley Municipal Airport (5R4)




An aerial photograph of Foley Municipal Airport (5R4). The runway is oriented vertically, with the number '36' at the bottom and '81' at the top. The runway is flanked by green fields and some buildings. To the right of the runway, there is a residential area with houses and trees. The overall scene is captured from a high angle, showing the layout of the airport and its surroundings.

| | |
|-------------------------|-------------------|
| Approach/ Departure: | 118.6 (Pensacola) |
| CTAF | 123.05 |
| UNICOM | 123.05 |

AIRPORT DIAGRAM



EGLIN/VALPARAISO TERMINAL AREA



EGLIN E MOA
OVERLIES ALL EGLIN/VALPARAISO RESTRICTED AREAS AND SPECIAL AIR TRAFFIC RULE, PART 93.
0600-2100 INTERMITTENT MON-FRI.
OTHER TIMES BY NOTAM.
SURFACE TO BUT NOT INCLUDING FL 180
CONTACT EGLIN APPROACH CONTROL 132.1
RADAR ADVISORY SVC AVBL DESTIN ARPT